

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product form : Liquid  
Product name. : Biogel  
Product code : 42

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**1.2.1. Relevant identified uses**

Main use category : industrial  
Use of the substance/mixture : See product bulletin for detailed information.  
Function or use category : industrial cleaning

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

CID LINES NV  
Waterpoortstraat, 2  
B-8900 Ieper - Belgique  
T + 32 57 21 78 77 - F +32 57 21 78 79  
[sds@cidlines.com](mailto:sds@cidlines.com) - <http://www.cidlines.com>

**1.4. Emergency telephone number**

Country	Organisation/Company	Address	Emergency number
BELGIUM	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn B -1120Brussels	+32 70 245 245
CANADA	CANUTEK		(613) 996-6666
GREECE	Poisons Information Centre Children's Hospital "Aglaia. Kyriakou"	11527Athens	+30 10 779 3777
NETHERLANDS	National Poisons Information Centre National Institute for Public Health and the Environment, NB this service is only available to health professionals	P.O. Box 1 3720 BABilthoven	+31 30 274 88 88
UNITED KINGDOM	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ERLondon	0870 243 2241
Worldwide	<a href="http://www.who.int/ipcs/poisons/centre/directory/en">www.who.int/ipcs/poisons/centre/directory/en</a>		

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

C; R35

Full text of R-phrases: see section 16

**Adverse physicochemical, human health and environmental effects**

Serious eye damage/irritation. Skin corrosion/irritation.

# Biogel

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger  
Hazardous ingredients : Sodium hydroxide  
Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage  
Precautionary statements (CLP) : P280 - Wear protective gloves, protective clothing, Eye protection, face protection  
P260 - Do not breathe dust, fume, vapours, gas, mist, spray  
P303 - IF ON SKIN (or hair): Remove immediately contaminated clothing., Wash with plenty of soap and water  
P305 - IF IN EYES: Rinse cautiously with water for several minutes, Remove contact lenses, if present and easy to do. Continue rinsing, Immediately call a POISON CENTER or doctor/physician, Specific treatment.  
P301 - IF SWALLOWED: Rinse mouth., Do NOT induce vomiting, Immediately call a POISON CENTER or doctor/physician, Specific treatment.

#### Labelling according to Directive 67/548/EEC or 1999/45/EC

Hazard symbols :



C - Corrosive

Hazardous ingredients : Sodium hydroxide  
R-phrases : R35 - Causes severe burns  
S-phrases : S2 - Keep out of the reach of children  
S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice  
S27 - Take off immediately all contaminated clothing  
S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection  
S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Sodium hydroxide	(CAS No)1310-73-2 (EC no)215-185-5 (EC index no)11-002-00-6 (REACH-no)01-2119457892-27	5 - 15	C; R35
N,Nalkyl(lauryl)dimethylamineoxide	(CAS No)1643-20-5 (EC no)216-700-6	5 - 15	Xi; R41 Xi; R38 N; R50
N,N-bis(carboxymethyl)-alanine, trisodium salt	(CAS No)164462-16-2 (REACH-no)01-0000016977-53	1 - 5	Xi; R36
Amines, C12-14-alkyldimethyl	(CAS No)84649-84-3 (EC no)283-464-9	0,1 - 1	Xn; R22 C; R34 N; R50
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]

# Biogel

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Sodium hydroxide	(CAS No)1310-73-2 (EC no)215-185-5 (EC index no)11-002-00-6 (REACH-no)01-2119457892-27	5 - 15	Skin Corr. 1A, H314
N,Nalkyl(lauryl)dimethylamineoxide	(CAS No)1643-20-5 (EC no)216-700-6	5 - 15	Eye Dam. 1, H318 Skin Irrit. 2, H315 Aquatic Acute 1, H400 Acute Tox. 4 (Oral), H302
N,N-bis(carboxymethyl)-alanine, trisodium salt	(CAS No)164462-16-2 (REACH-no)01-0000016977-53	1 - 5	Met. Corr. 1, H290
Amines, C12-14-alkyldimethyl	(CAS No)84649-84-3 (EC no)283-464-9	0,1 - 1	Skin Corr. 1B, H314 Eye Dam. 1, H318 Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400

Full text of R- and H-phrases: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest. Seek medical attention immediately.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Seek medical advice.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Seek medical attention immediately.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting because of corrosive effects. Take to hospital.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

No additional information available

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

- Firefighting instructions : Do not enter fire area without proper protective equipment, including respiratory protection. Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection.

##### 6.1.1. For non-emergency personnel

No additional information available

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Collect spills and put it into appropriated container.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid all unnecessary exposure. Ensure prompt removal from eyes, skin and clothing. Both local exhaust and general room ventilation are usually required.
- Hygiene measures : Keep away from food, drink and animal feeding stuffs. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

# Biogel

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
- Packaging materials : Do not store in corrodable metal.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters


Biogel		
Bulgaria	OEL TWA (mg/m <sup>3</sup> )	>=
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	<=

### Sodium hydroxide (1310-73-2)

France	VLE (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ceiling) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>

### 8.2. Exposure controls

- Appropriate engineering controls : Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Provide local exhaust or general room ventilation.
- Personal protective equipment : Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



- Hand protection : Wear suitable gloves resistant to chemical penetration.
- Eye protection : Chemical goggles or face shield with safety glasses.
- Skin and body protection : Wear suitable protective clothing.
- Respiratory protection : Approved dust or mist respirator should be used if airborne particles are generated when handling this material.
- Consumer exposure controls : When using, do not eat, drink or smoke.

# Biogel

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: amber.
Odour	: Odourless.
Odour threshold	: No data available
pH	: ca. 12,5 (1%)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: - 15 °C
Boiling point	: 90 °C
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ca. 1,06 kg/l
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: < 2000 cP (10%)
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

No additional information available

#### 10.3. Possibility of hazardous reactions

None under normal conditions.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

Avoid contact with : aluminium. Strong acids.

#### 10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Irritation	: Not classified pH: ca. 12,5 (1%)
Corrosivity	: Causes severe burns. pH: ca. 12,5 (1%)
Sensitisation	: Not classified
Repeated dose toxicity	: Not classified
Carcinogenicity	: Not classified
Mutagenicity	: Not classified

# Biogel

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Toxicity for reproduction : Not classified  
Potential Adverse human health effects and symptoms : Corrosive to eyes, respiratory system and skin.

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose of this material and its container to hazardous or special waste collection point. Dispose in a safe manner in accordance with local/national regulations.

### SECTION 14: Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

#### 14.1. UN number

UN-No : 3266

#### 14.2. UN proper shipping name

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.  
Transport document description : UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium hydroxide), 8, III, (E)

#### 14.3. Transport hazard class(es)

Class (UN) : 8  
Hazard labels (UN) : 8



#### 14.4. Packing group

Packing group (UN) : III

#### 14.5. Environmental hazards


Other information : Clean up even minor leaks or spills if possible without unnecessary risk.

#### 14.6. Special precautions for user

Special transport precautions : The driver shall not attempt to deal with any fire of the load. No naked lights. No smoking. Keep public away from danger area. NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY.

##### 14.6.1. Overland transport

Hazard identification number (Kemler No.) : 80  
Classification code (ADR) : C5  
Orange plates :



Tunnel restriction code : E  
Excepted quantities (ADR) : E1  
EAC code : 2X  
APP code : B

# Biogel

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 14.6.2. Transport by sea

Not applicable

### 14.6.3. Air transport

Not applicable

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Contains no REACH candidate substance

#### 15.1.2. National regulations

Water hazard class (WGK) : 2 - hazardous to water

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Skin Corr. 1A

H314

Full text of R-, H- and EUH-phrases::

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — AcuteHazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H400	Very toxic to aquatic life
R22	Harmful if swallowed
R34	Causes burns
R35	Causes severe burns
R36	Irritating to eyes
R38	Irritating to skin
R41	Risk of serious damage to eyes
R50	Very toxic to aquatic organisms
C	Corrosive
N	Dangerous for the environment
Xi	Irritant
Xn	Harmful

SDS EU CLP DPD

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*