

NDC 30798-311-17

See Insert for Directions

WARM TO ROOM TEMPERATURE AND SHAKE WELL BEFORE USING

Beef Cattle: 2 mL per 150 lb body weight, given subcutaneously only.

WARNING: Do not inject intramuscularly. Beef cattle should be withheld from slaughter for food use for thirty (30) days following last treatment. Treatment in beef cattle must be limited to two (2) doses.

A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.



Lot No./Exp. Date

durvet

DURA-PEN



(Penicillin G Benathine and Penicillin G Procaine Injectable Suspension)

**Aqueous Suspension
INJECTABLE ANTIBIOTIC**

300,000 units per mL

**FOR SUBCUTANEOUS USE
IN BEEF CATTLE ONLY**

Sterile, Multiple Dose Vial

Restricted Drug (California) - Use Only as Directed

KEEP OUT OF REACH OF CHILDREN

NADA 065-506, Approved by FDA

NET CONTENTS: 500 mL

Each mL of suspension contains:

| | |
|--------------------------------------|---------------|
| Penicillin G benzathine..... | 150,000 units |
| Penicillin G procaine..... | 150,000 units |
| Lecithin..... | 11.7 mg |
| Sodium formaldehyde sulfoxylate..... | 1.75 mg |
| Methylparaben (as preservative)..... | 1.20 mg |
| Propylparaben (as preservative)..... | 0.14 mg |
| Tween 40..... | 8.19 mg |
| Span 40..... | 11.3 mg |
| Sodium citrate anhydrous..... | 3.98 mg |
| Procaine hydrochloride..... | .20 mg |
| Sodium carboxymethylcellulose..... | 1.04 mg |
| Water for Injection..... | q.s. |

**STORE UNDER REFRIGERATION
BETWEEN 2° - 8°C (36° - 46°F)**

PROTECT FROM FREEZING.

Product No. 1DUR304

8DUR307-505

Iss. 5/05

Manufactured for DURVET, INC.

Blue Springs, Missouri 64014

www.durvet.com

TAKE TIME



OBSERVE LABEL
DIRECTIONS