Hy•D® Dry A Tool for Improved Poultry Production



HY•D® DRY WATER-SOLUBLE

HY•D[®]Dry is a water soluble vitamin *D metabolite* supplement for use in *chicken* and *turkey drinking water*.

Guaranteed Analysis Description: Per Pack

Ingredients: 25-Hydroxyvitamin D3, vegetable oil, mono- and diglycerides, silica, BHT, citric acid

DIRECTION FOR USE

For layer, layer breeder, broiler and broiler breeder supplementation, mix 1 pack of HY•D® Dry to 2 gals. of stock solution, when using water proportioners that delivers 1 ounce per gallon of water.

For turkeys and turkey breeder supplementation, mix 3 packs of HY•D® to 4 gals. of stock solutions, when using water proportioners that delivers 1 ounce per gallon of water.



Net. Wt. 4 oz. (113.5gm)

Manufactured For:

Clear View Enterprises-LLC

Tontitown, AR. 72770

Storage: Store at room temperature (59°86°F)


For use in poultry water systems only; Use only as Directed

Objectives ...

- Keep 'em up on their legs!
- Prevent rickets & metabolic bone disease
- Prevent post-enteritis leg breakdown
- Improve livability & performance
- Enhance bird welfare
- Reduce wastage & down-grades at processing







Typically enteritis occurs 10 to 21 days prior to onset of "leg breakdown"





Hy•D® Dry Recommended Uses (Broilers & Turkeys)

- Develop a K-I-S program!
- Starting baby chicks & poults
- Times of stress particularly during enteric challenge (usually Day 10-21)
- Provide daily
- Mixing with other compounds?
 - Chlorination? Okay
 - Bleach? Okay
 - lodine? Okay
 - Electrolytes? Okay
 - Citric Acid? Okay

