R-PenTM

Penicillin G Potassium

Soluble powder for use in drinking water

- Conveniently packaged for ease of use
- Packaged in two sizes:
 0.384 Billion Unit (B.U.)
 0.500 Billion Unit (B.U.)
- One day withdrawal in turkeys

Composition:

Penicillin G potassium antibiotic powder

Indications/Dose:

- For treatment of erysipelas in turkeys caused by Erysipelothrix rhusiopathiae
- Administer orally at a dosage of 1,500,000 units of penicillin per gallon (3.8 liter) of drinking water for five consecutive days
- For best mixing, prepare a concentrated solution by combining contents of entire package and approximately 20 ounces (1 1/2 pints) of water in a glass or plastic container
- Stir to dissolve. Allow the concentrated solution to stand until the foam disappears

For more information on putting R-Pen to work for you, contact your nearest Alpharma representative.

Alpharma – The performance enhancement people





R-Pen is a trademark of Alpharma Inc.

Alpharma Inc. One Executive Drive Fort Lee, NJ 07024, USA Tel (201) 947-7774 Fax (201) 585-0429 http://www.alpharma.com

Copyright ©2001 by Alpharma Inc.

Proportioner Mixing Instructions:

Transfer the concentrated solution to a suitable stock container and add water to obtain the gallons of stock solution per pack as listed in table below:

Species	Disease	Packet Size	Amount / Gallon Stock Solution	Treatment	Withdrawal
Turkey ¹	Erysipelas	0.384 B.U.	2 gal	5 days	1 day
		0.500 B.U.	2.6 gal	5 days	1 day

Tank Mixing Instructions:

Transfer concentrated solution to a suitable tank and add water to final volume listed below:

Species	Disease	Packet	Gallons of Water per packet	Treatment	Withdrawal
Turkey ¹	Erysipelas	0.384 B.U.	256	5 days	1 day
		0.500 B.U.	333	5 days	1 day

¹Not for use in turkeys producing eggs for human consumption.

See package label for complete use directions and warnings.

Package sizes:

10 x 0.384 B.U. 8 x 0.500 B.U.