Date: 4-OCT-2016 Version: 1.0 Page 1 of 9

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Liquid Zinc & DL-Methionine

Trade Name: Not established

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Veterinary product Restrictions on Use: Not for human use

Details of the Supplier of the Safety Data Sheet

Clear View Enterprises 451 Agnes Dr Tontitown, AR 72770

Contact Phone: 866-361-4689

Emergency telephone number: Product #: YS013

ChemTel: 1-800-255-3924 Contract Number: MIS0004963

2. HAZARDS IDENTIFICATION

Appearance: Light yellow liquid

Classification of the Substance or Mixture

GHS - Classification

Acute Oral Toxicity: Category 4 Skin Corrosion/Irritation: Category 1

Serious Eye Damage/Eye Irritation: Category 1

Specific target organ systemic toxicity (single exposure): Category 3

Acute aquatic toxicity: Category 2 Chronic aquatic toxicity: Category 2

EU Classification:

EU Indication of danger: C - Corrosive

Xn - Harmful

N - Dangerous for the environment

EU Symbol: C, Xn, N

EU Risk Phrases:

R34 - Causes burns.

R37 - Irritating to respiratory system.

R20 - Harmful by inhalation.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Label Elements

Material Name: Liquid Zinc & DL-Methionine

Revision date: 04-OCT-2016 Version: 1.0

2. HAZARDS IDENTIFICATION

Signal Word: Dange

Hazard Statements: H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H302 - Harmful if swallowed

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements: P280 - Wear protective gloves/protective clothing/eye protection/face protection

P271 - Use only outdoors or in a well-ventilated area P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P273 - Avoid release to the environment

P301+ P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Page 2 of 9

Rinse skin with water/shower

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTRE or doctor/physician

P391 - Collect spillage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local and national regulations



Other Hazards

Short Term:

Australian Hazard Classification

(NOHSC):

Note:

Causes burns to skin and eyes. Vapors or mists can irritate or burn the respiratory tract. Hazardous Substance. Dangerous Goods.

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredient CAS Number EU EINECS/ELINCS List EU Classification GHS % Classification

Material Name: Liquid Zinc & DL-Methionine Page 3 of 9 Revision date: 04-OCT-2016 Version: 1.0

3. COMPOSITION/INFORMATION ON INGREDIENTS					
Zinc sulfate monohydrate	7446-19-7	Not Listed	Xn; R22 Xi; R41 N; R50-53	Acute Tox. 4 (H302) Aquatic Chronic 1 (H410) Aquatic Acute 1 (H400) Eye Dam. 1 (H318)	10-20
HYDROCHLORIC ACID	7647-01-0	231-595-7	T; R23 C; R35	Skin Corr.1B (H314) STOT SE 3 (H335)	1-5

Additional Information: Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this

mixture has been withheld as a trade secret.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: In the event of swallowing this material, seek immediate medical attention. DO NOT INDUCE

VOMITING.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Identification and/or Section 11 - Toxicological Information. **Exposure:** None known

Medical Conditions

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician:

5. FIRE-FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion

Formation of toxic gases is possible during heating or fire.

Products:

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

Material Name: Liquid Zinc & DL-Methionine Page 4 of 9
Revision date: 04-OCT-2016 Version: 1.0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Contain the source of the spill if it is safe to do so. Absorb spill with inert material (e.g. dry sand

Collecting: or earth), then place in a chemical waste container Clean contaminated surface thoroughly.

Additional Consideration for Non-essential personnel should be evacuated from affected area. Report emergency

situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Large Spills:

When handling, use appropriate personal protective equipment (see Section 8). Use with adequate ventilation. Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store at room temperature in properly labeled containers. Keep away from heat, sparks and

flames.

Incompatible Materials: Strong oxidizing agents, acids, strong bases

Specific end use(s): No data available

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

HYDROCHLORIC ACID

ACGIH Ceiling Threshold Limit: 2 ppm **Australia PEAK** 5 ppm 7.5 mg/m^{3} **Austria OEL - MAKs** 5 ppm 8 mg/m³ 5 ppm **Belgium OEL - TWA** 8 mg/m³ 5 ppm **Bulgaria OEL - TWA** 8.0 mg/m^3 Cyprus OEL - TWA 5 ppm 8 mg/m³

Czech Republic OEL - TWA 8 mg/m³
Estonia OEL - TWA 5 ppm

 Germany - TRGS 900 - TWAs
 2 ppm

 3 mg/m³
 3 mg/m³

Germany (DFG) - MAK 2 ppm 3.0 mg/m³

Material Name: Liquid Zinc & DL-Methionine Page 5 of 9 Revision date: 04-OCT-2016 Version: 1.0

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Greece OEL - TWA 5 ppm 7 mg/m³ 8 mg/m³ **Hungary OEL - TWA Ireland OEL - TWAs** 5 ppm 8 mg/m³ **Italy OEL - TWA** 5 ppm 8 mg/m³ Japan - OELs - Ceilings 5 ppm 7.5 mg/m³ Latvia OEL - TWA 5 ppm 8 ma/m³ Lithuania OEL - TWA 5 ppm 8 mg/m³ **Luxembourg OEL - TWA** 5 ppm 8 mg/m³ Malta OEL - TWA 5 ppm 8 mg/m³ **Netherlands OEL - TWA** 8 mg/m³ **Vietnam OEL - TWAs** 5 mg/m³ 5 mg/m^3 Poland OEL - TWA 5 ppm Portugal OEL - TWA 8 mg/m³ 5 ppm Romania OEL - TWA 8 mg/m^3 Slovakia OEL - TWA 5 ppm 8.0 mg/m³ Slovenia OEL - TWA 5 ppm 8 mg/m³ 5 ppm

Spain OEL - TWA

Switzerland OEL -TWAs

7.6 mg/m³ 2 ppm 3.0 mg/m^3

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Personal Protective

Equipment:

Refer to applicable national standards and regulations in the selection and use of personal

protective equipment (PPE).

Impervious gloves are recommended if skin contact with drug product is possible and for bulk Hands:

processing operations.

Wear safety goggles as minimum protection (face shield recommended if splashing is Eyes:

possible).

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations.

If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate Respiratory protection:

> respirator with a protection factor sufficient to control exposures to below the OEL. Whenever air contamination (mist or aerosol) is generated, respiratory protection is recommended as a

precaution to minimize exposure.

Material Name: Liquid Zinc & DL-Methionine Page 6 of 9
Revision date: 04-OCT-2016 Version: 1.0

Revision date: 04-001-2016

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:LiquidColor:Light yellowOdor:CharacteristicOdor Threshold:No data available.

Molecular Formula: Mixture Molecular Weight: Mixture

Solvent Solubility:
Water Solubility:
PH:
No data available
No data available
No data available.
No data available.
No data available.
No data available
No data available.
Partition Coefficient: (Method, pH, Endpoint, Value)

No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): <1

Vapor Pressure (kPa): No data available

Vapor Density (g/ml): >1

Relative Density:

Viscosity:

No data available
No data available

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids):

Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.):

Lower Explosive Limits (Liquid) (% by Vol.):

No data available
No data available
No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Heating can release hazardous gases. To avoid thermal decomposition, do not overheat.

Incompatible Materials: Strong oxidizing agents, acids, strong bases

The model have a strong bases

Hazardous Decomposition Thermal decomposition can lead to release of irritating gases and vapours. Hydrogen chloride

Products: gas, oxides of sulfur.

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: Toxicological properties of the formulation have not been investigated. The information in this

section describes the potential hazards of the individual ingredients and the formulation.

Routes of exposure: eye contact, skin contact

Acute Toxicity: (Species, Route, End Point, Dose)

HYDROCHLORIC ACID

Rat Oral LD 50 238-277 mg/kg

Inhalation Acute Toxicity

May cause respiratory tract and mucous membrane irritation

Ingestion Acute Toxicity Harmful if swallowed.

Irritation / Sensitization Comments: Contact with hydrochloric acid may cause severe irritation, conjunctivitis, corneal necrosis, and

burns with possible impairment or permanent loss of vision.

Material Name: Liquid Zinc & DL-Methionine Page 7 of 9
Revision date: 04-OCT-2016 Version: 1.0

11. TOXICOLOGICAL INFORMATION

Skin Irritation / Sensitization Contact with hydrochloric acid may cause severe irritation, inflammation, ulceration, necrosis,

and chemical burns.

Carcinogen Status: None of the other components of this mixture are listed as a carcinogen by IARC, NTP or

OSHA.

HYDROCHLORIC ACID

IARC: Group 3 (Not Classifiable)

Product Level Toxicity Data Acute Toxicity Estimate (ATE),

Oral

ca. 1666 mg/kg

12. ECOLOGICAL INFORMATION

Environmental Overview: Toxic to aquatic life with long lasting effects. Releases to the environment should be avoided.

Toxicity: No data available

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: This product may qualify as a RCRA Hazardous Waste. Status should be confirmed by testing

for RCRA hazardous characteristics (i.e. corrosivity, toxicity, reactivity, or ignitability). Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may

include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

This material is regulated for transportation as a hazardous material/dangerous good.

UN number: UN1789

UN proper shipping name: Hydrochloric acid mixture

Transport hazard class(es): 8
Packing group: |||

Environmental Hazard(s): Marine Pollutant (Zinc Sulfate Monohydrate)

Material Name: Liquid Zinc & DL-Methionine Page 8 of 9
Revision date: 04-OCT-2016 Version: 1.0

Marine pollutant requirements apply only to quantities >5 Liters for liquids / >5 Kilograms for solids (per inner package) when shipped as per IMDG or ADR (effective year 2015 or greater) regulations.

U.S. DOT Reportable Quantity (RQ), 49 CFR 172.101 Appendix A:

HYDROCHLORIC ACID

CERCLA/SARA Hazardous Substances 5000 lb and their Reportable Quantities: 2270 kg

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications

WHMIS hazard class:

E corrosive material

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.



Zinc sulfate monohydrate

CERCLA/SARA 313 Emission reporting

California Proposition 65

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

HYDROCHLORIC ACID

CERCLA/SARA 313 Emission reporting 1.0 %
CERCLA/SARA Hazardous Substances 5000 lb
and their Reportable Quantities: 2270 kg
CERCLA/SARA - Section 302 Extremely Hazardous 500 lb

TPQs

CERCLA/SARA - Section 302 Extremely Hazardous 5000 lb

Substances EPCRA RQs

California Proposition 65
Inventory - United States TSCA - Sect. 8(b)
Australia (AICS):
Standard for the Uniform Scheduling
For Drugs and Poisons:
Schedule 6
EU EINECS/ELINCS List

Not Listed
Present
Steedule 5
Schedule 5
Schedule 6
231-595-7

Material Name: Liquid Zinc & DL-Methionine Page 9 of 9
Revision date: 04-OCT-2016 Version: 1.0

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed

Skin corrosion/irritation-Cat.1B; H314 - Causes severe skin burns and eye damage

Serious eye damage/eye irritation-Cat.1; H318 - Causes serious eye damage

Specific target organ toxicity, single exposure; Respiratory tract irritation-Cat.3; H335 - May cause respiratory irritation

Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life

Hazardous to the aquatic environment, acute toxicity-Cat.2; H401 - Toxic to aquatic life

Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic life with long lasting effects

Hazardous to the aquatic environment, chronic toxicity-Cat.2; H411 - Toxic to aquatic life with long lasting effects

C - Corrosive

T - Toxic

Xn - Harmful

Xi - Irritant

N - Dangerous for the environment

R20 - Harmful by inhalation.

R22 - Harmful if swallowed.

R23 - Toxic by inhalation.

R34 - Causes burns.

R35 - Causes severe burns.

R37 - Irritating to respiratory system.

R41 - Risk of serious damage to eyes.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Data Sources:The data contained in this SDS may have been gathered from confidential internal sources,

raw material suppliers, or from the published literature.

Reasons for Revision: Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking.

Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 5 - Fire Fighting Measures. Updated Section 6 - Accidental Release Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 9 - Physical and Chemical Properties.

Updated Section 10 - Stability and Reactivity. Updated Section 11 - Toxicology Information. Updated Section 12 - Ecological Information. Updated Section 14 - Transport Information.

Updated Section 15 - Regulatory Information.

Prepared by: Toxicology and Hazard Communication

Clear View Enterprises

Clear View Enterprises believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet