

RESTRICTED USE PESTICIDE

DUE TO HAZARD TO NON-TARGET SPECIES

For retail sale to and use only by Certified applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Prozap[®] Zinc Phosphide Pellets

EPA Reg. No. 61282-49

SLN No. MO-10-0001

Active Ingredient: Zinc Phosphide2.0%
Other Ingredients.....98.0%
Total.....100.0%

SPECIAL LOCAL NEED SUPPLEMENTAL LABEL

For Distribution and Use Only in the State of Missouri

**For Control of Voles Complex (Microtus, spp)
in Alfalfa and Wheat**

Only for Uses and Application Methods on this Supplemental Label

**This label valid until March 15th, 2020 or until otherwise
amended, withdrawn, cancelled, or suspended.**

24(c) Registrant:
HACCO, Inc.
110 Hopkins Drive
Randolph, WI 53956

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions: For control of voles (*Microtus spp.*) in Alfalfa and Wheat as specified below.

This labeling, the package label, and the booklet for Prozap[®] Zinc Phosphide Pellets (EPA Reg. No. 61282-49) must be in the possession of the user at the time of application. All applicable directions, restrictions, and precautions on the package label, the booklet, and on this supplemental label must be followed.

Application Directions:

ALFALFA

PESTS: For control of voles (*Microtus spp.*) in alfalfa. All applications must occur shortly after a cutting of the hay, and/or prior to the new growth attaining a length of 2 inches. Alfalfa forage from treated areas must not be harvested until it reaches maturity. Do not apply this product to alfalfa within 30 days of harvest.

Broadcast Baiting: When all restrictions indicated on this label are met, this product may be broadcast by air or ground driven dispensing devices. Apply at a rate up to 10 lbs. (0.2 lb active) per acre. A second application may be made after 10 days. A maximum of 20 lbs. (0.4 lb active) per acre may be applied per year. Do not apply by air when wind velocity exceeds 10 mph. Do not apply in piles or permit piles to be formed by equipment.

WHEAT

PESTS: For control of voles (*Microtus spp.*) in wheat. Do not apply bait post harvest or pre-plant. Do not apply this product to wheat within 50 days of harvest.

Broadcast Baiting: This product may be broadcast by air or ground driven dispensing devices. Apply at a rate up to 6 lbs. (0.12 lb active) per acre. A second application may be made within 25 days. The maximum application rate per year is 12 lbs. (0.24 lb active).

IMPROVING EFFICACY

- Avoid applying zinc phosphide at rates less than allowed by this label. Voles may develop a learned aversion to zinc phosphide when exposed to sub-lethal rates.
- Zinc phosphide bait deteriorates when exposed to rain, humidity and wet acidic soils. The longer the product is exposed to these conditions, the less effective it will be. Efficacy may be improved if applications are made after the soil pH is increased. Avoid treating before morning dew evaporates.

24(c) Registrant:
HACCO, Inc.
110 Hopkins Drive
Randolph, WI 53956