

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/8

# Prozap® Zinc Phosphide Tracking Powder

Revision Revision date 2017-10-23

#### 1.1. Product identifier

Product name Prozap® Zinc Phosphide Tracking Powder Product code 112846

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Rodenticide. Restricted use. Ready to use. Description

#### 1.3. Details of the supplier of the safety data sheet

Company **Neogen Corporation** Address 620 Lesher Place

Lansing MI 48912

USA

Web www.neogen.com

517-372-9200/800-234-5333 Telephone **Email** regulatorysupport@neogen.com

#### 1.4. Emergency telephone number

**Emergency telephone number** 1-800-234-5333

#### **Further information**

Registered By:

**Hotline Number:** Medical: 1-800-498-5743 (United States and Canada) All other areas (1-651-523-0318).

Spill: 1-800-424-9300 (United States and Canada) All other areas (1-703-527-3887).

HACCO, Inc. Manufactured by:

110 Hopkins Dr.

Randolph, WI 53956-1316.

HACCO, Inc. is a wholly-owned subsidiary of Neogen Corporation.

61282-101. **EPA Registration No.** 

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

2.1.2. Classification - GHS Water-react. 1: H260; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;

#### 2.2. Label elements

#### Hazard pictograms







## Signal Word

Danger

**Hazard Statement** Water-react. 1: H260 - In contact with water releases flammable gases which may ignite

spontaneously.

Acute Tox. 3: H301 - Toxic if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Revision 0 Revision date 2017-10-23

#### 2.2. Label elements

Precautionary Statement:	P223 - Do not allow contact with water.	
Prevention	P231+P232 - Handle under inert gas. Protect from moisture.	
	P270 - Do no eat, drink or smoke when using this product.	
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.	
Precautionary Statement:	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/ .	
Response	·	
Precautionary Statement:	P402+P404 - Store in a dry place. Store in a closed container.	
Storage		

#### 2.3. Other hazards

Other hazards	May be harmful if inhaled.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Trizinc diphosphide	015-006-00-9	1314-84-7	215-244-5		10 - 20%	Water-react. 1: H260; Acute
						Tox. 2: H300; Aquatic Acute
						1: H400; Aquatic Chronic 1:
						H410;
Trizinc bis(orthophosphate)	030-011-00-6	7779-90-0	231-944-3		1 - 10%	Aquatic Acute 1: H400;
						Aquatic Chronic 1: H410;
Zinc oxide	030-013-00-7	1314-13-2	215-222-5		1 - 10%	Aquatic Acute 1: H400;
						Aquatic Chronic 1: H410;

#### **Further information**

The exact percentage (concentration) of composition has been withheld as a trade secret.

#### SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	In case of accident by inhalation: remove casualty to fresh air and keep at rest. If breathing stops, provide artificial respiration. If breathing is difficult give oxygen. Cardiac, and circulatory stimulants can be given.
Eye contact	IF IN EYES:. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of.
Ingestion	Immediate medical attention is required. Transfer to hospital as soon as possible. DO NOT DRINK WATER. Do not administer anything by mouth. DO NOT INDUCE VOMITING unless advised to do so by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Harmful by inhalation. Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
Eye contact	Causes burns.
Skin contact	Highly toxic in contact with skin.
Ingestion	Highly toxic if swallowed.

#### 4.3. Indication of any immediate medical attention and special treatment needed

	If you experience signs and symptoms such as nausea, abdominal pain, tightness in chest, or weakness, see a physician immediately.	
Inhalation	Immediate medical attention is required.	
Eye contact	Seek medical attention.	
Skin contact	Seek medical attention.	

Revision 0 Revision date 2017-10-23

-	medical attention and special treatment needed
Ingestion	Immediate medical attention is required. Immediately call a POISON CENTER/doctor/.
Further information	
NOTE TO PHYSICIAN OR VETERINARIAN	Contains the Phosphine-producing active, Zinc Phosphide. Probable mucosal damage may contraindicate the use of gastric lavage. For animals ingesting tracking powder and/or showing poisoning signs, induce vomiting by using hydrogen peroxide. Sodium bicarbonate can be given orally to neutralize the stomach acidity. The stomach and intestinal tract can be evacuated, oxygen administered and cardiac and circulatory stimulants given.
TREATMENT FOR PET POISONING	If animal ingests tracking powder, call a veterinarian at once.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	Dry chemical. Sand. Do NOT use water.
5.2. Special hazards arising from	n the substance or mixture
	In contact with water releases flammable gases which may ignite spontaneously. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	,
	In case of fire and/or explosion do not breathe fumes. Wear self contained breathing apparatus and protective clothing.
SECTION 6: Accidental release	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Avoid contact with skin and eyes. Wear suitable protective clothing and eye/face protection. Wash hands after handling the product. Ensure adequate ventilation of the working area. Do not breathe dust. Avoid formation of dust. Keep public away from danger area. Keep upwind.
6.2. Environmental precautions	
	This product is extremely toxic to mammals, birds and other wildlife. Dogs, cats and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not allow bait to be exposed on soil surface. Do not apply where runot is likely to occur. Do not contaminate water when disposing of equipment wash water or rinsate.
6.3. Methods and material for co	ontainment and cleaning up
	Transfer to suitable, labelled containers for disposal. Avoid raising dust.
6.4. Reference to other sections	
	See section 2, 8 & 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handlir	
	Keep out of reach of children, pets, and non-target animals. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Wear suitable protective clothing and eye/face protection. Ensure adequate ventilation of the working area. In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe dust. Do not eat, drink or smoke in areas where this product is used or stored. Take off immediately all contaminated clothing and wash it before reuse. Any person who retrieves carcasses or unused bait following application of this product must wear barrier laminate gloves. Wash the outside of gloves before removing.
7.2. Conditions for safe storage,	
	Keep containers tightly closed. Store in correctly labelled containers. Keep only in the original container in a cool, well-ventilated place. Keep out of reach of children, pets, and non-target

Revision 0 Revision date 2017-10-23

7.2. Conditions for safe storage, including any incompatibilities			
	animals. Keep away from food, drink and animal feed and/ or feed products.		
7.3. Specific end use(s)			
	See section 1.2 for further information.		

#### SECTION 8: Exposure controls/personal protection


#### 8.1. Control parameters

Occupational exposure controls.

#### **Exposure Limit Values**

Zinc oxide	ACGIH TLV TWA: 2 mg/m³ (R)	ACGIH TLV STEL: 10 mg/m³ (R)
	Notations: -	OSHA PEL 8hr TWA ppm: -
	OSHA PEL 8hr TWA mg m3: 15	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:

#### 8.2. Exposure controls



#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Revision 0 Revision date 2017-10-23

#### 9.1. Information on basic physical and chemical properties

State	Powder
Color	Dark grey
Odor	Pungent
Odour threshold	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	No data available

#### 9.2. Other information

_		
	Conductivity	No data available
	Surface tension	No data available
	Gas group	No data available

#### SECTION 10: Stability and reactivity

1	0.	1		Rea	ctiv	/itv
---	----	---	--	-----	------	------

In contact with water releases flammable gases which may ignite spontaneously.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Oxidizing agents. Water.

#### 10.4. Conditions to avoid

Avoid contact with: Water.

#### 10.5. Incompatible materials

Oxidizing agents. Water.

#### 10.6. Hazardous decomposition products

Burning produces irritating, toxic and obnoxious fumes.

# SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity	Toxic if swallowed.	
Skin corrosion/irritation	May cause irritation to skin.	
Serious eye damage/irritation	May cause irritation to eyes.	
Respiratory or skin	No data available.	
sensitisation		

Revision 0 Revision date 2017-10-23

	Revision date 2017-10-2					
11.1. Information on toxicologica	al effects					
Germ cell mutagenicity	No data available.					
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112.  Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens.  Not listed in the OSHA standard 1910.1003 Carcinogens.					
Reproductive toxicity	No data available.					
STOT-single exposure	No data available.					
STOT-repeated exposure	No data available.					
Aspiration hazard	No data available.					
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.					
11.1.4. Toxicological information	1					
Trizinc bis(orthophosphate)	Dermal Rat LD50: > 5000 mg/kg					
Trizinc diphosphide	Oral Rat LD50: 12 mg/kg Dermal Rabbit LD50: 2000 mg/kg					
Zinc oxide	Oral Mouse LD50: 7950 mg/kg					
SECTION 12: Ecological info	ormation					
12.1. Toxicity						
	No data available					
12.2. Persistence and degradab	ility					
	No data available.					
12.3. Bioaccumulative potential	•					
·						
	No data available.					
Partition coefficient	'					
	Prozap® Zinc Phosphide No data available Tracking Powder					
12.4. Mobility in soil						
12. II Wooding III oon	No data available.					
10 E. Daguita of DDT and vDvD	ı					
12.5. Results of PBT and vPvB						
	No data available.					
12.6. Other adverse effects						
	No data available.					
SECTION 13: Disposal cons	iderations					
13.1. Waste treatment methods						
	Dispose of in compliance with all local and national regulations.					
Disposal methods						
	Contact a licensed waste disposal company.					
Disposal of packaging						
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.					
SECTION 14: Transport info						
•	IIIIauoii					
Hazard pictograms						

Revision 0
Revision date 2017-10-23

# Hazard pictograms







14. I. OIT HUILIDGE	14.1.	UN	number
---------------------	-------	----	--------

UN3134

#### 14.2. UN proper shipping name

WATER-REACTIVE SOLID, TOXIC, N.O.S. (ZINC PHOSPHIDE)

#### 14.3. Transport hazard class(es)

DOT	4.3
Subsidiary risk	6.1
IMDG	4.3
Subsidiary risk	6.1
IATA	4.3
Subsidiary risk	6.1

#### 14.4. Packing group

Packing group

#### 14.5. Environmental hazards

Environmental hazards		
Marine pollutant	Yes	

#### 14.6. Special precautions for user

No data available.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

#### DOT

Hazard ID	462
Tunnel Category	(D/E)

#### **IMDG**

FmS Code	F-G S-N
EIDS CODE	F-(1,0-1)

#### IATA

Packing Instruction (Cargo)	490
Maximum quantity	50 kg
Packing Instruction	483
(Passenger)	
Maximum quantity	15 ka

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational
	Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.

All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

Revision 0 Revision date 2017-10-23

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

US State Regulations:

New Jersey Right-to-Know Hazardous Substance List:

Zinc Phosphide: Y

Pennsylvania Right-to-Know Hazardous Substance List:

Zinc Phosphide: Y.

#### 15.2. Chemical safety assessment

No data available.

#### Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Trizinc diphosphide (Zinc phosphide	Y	N	N	N	N	N	Υ	Y 500	Y 100
(Zn3P2)) Trizinc bis(orthophosphate) (Phosphoric	Υ	N	N	N	N	N	N	N	N
acid, zinc salt (2:3)) Zinc oxide (Zinc oxide (ZnO))	Y	N	N	N	N	N	N	N	N

#### Further information

FIFRA	This chemical is a pesticide product registered by the United States Environmental Protection
	Agency and is subject to certain labeling requirements under federal pesticide law. These
	requirements differ from the classification criteria and hazard information required for safety data
	sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information
	required on the pesticide label is reproduced below. The pesticide label also includes other
	important information, including directions for use.

EPA Registration No.

61282-101.

FIFRA Signal Word

DANGER. POISON.

**FIFRA Warning** 

Fatal if swallowed. Fatal if absorbed though skin. Causes skin burns. Harmful if inhaled. Do not get

in eyes, on skin, or on clothing. Avoid breathing dust.

#### SECTION 16: Other information

#### Other information

#### Text of Hazard Statements in Section 3

EUH029 - Contact with water liberates toxic gas.

EUH032 - Contact with acids liberates very toxic gas.

Water-react. 1: H260 - In contact with water releases flammable gases which may ignite spontaneously.

Acute Tox. 2: H300 - Fatal if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

#### **Further information**

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MECHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.