

AVISTATIN®

INDICATIONS: As a source of organic acids for nutritional supplementation in drinking water of poultry, turkeys and livestock.

Use Directions: Mix 1 gallon of *Avistatin*® with 2 gallons of water and added to the drinking water through a proportional feeder at a rate of 1 oz. per gallon of drinking water. Depending on local drinking water conditions, application rates can be adjusted to higher concentrations to obtain desired pH of drinking water.

Product # 31600

**A SOURCE OF ORGANIC ACIDS FOR
POULTRY AND LIVESTOCK**



ClearViewEnterprises

A proprietary blend of short chained fatty acids [propionic, acetic], sodium hydroxide and water

**Manufactured for:
Clear View Enterprises, LLC
451 Agnes Drive Tontitown, AR 72770**

**KEEP OUT OF THE REACH OF
CHILDREN**

DANGER
**For Animal Use Only Not
For Human Use**
**Net Contents: One Gallon
[3785 ml]**

Statement of Practical Treatment:
In Case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, promptly drink large quantity of milk, egg whites, gelatin solution; if these are not available, drink large quantities of Water. Do not induce vomiting unless instructed by a physician. Avoid alcohol. Call a physician immediately.

~ ~ ~ CAUTION ~ ~ ~

Avoid spilling on skin or clothing.
Wash affected areas immediately.

Wear protective eyewear.

Lot # _____