

SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/7

Acid-A-Foam™ EVO

Revision 0 Revision date 2018-09-25

SECTION 1: Identification of the substance/mixtu	re and of the company/undertaking
1.1. Product identifier	

Product nameAcid-A-Foam™ EVOProduct code418089

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35]
Washing and cleaning products (including solvent based products);

Phosphate-free, acidic cleaner.

1.3. Details of the supplier of the safety data sheet

Company
Address
620 Lesher Place
Lansing MI 48912
USA
Web
www.neogen.com

 Telephone
 517-372-9200/800-234-5333

 Email
 regulatorysupport@neogen.com

1.4. Emergency telephone number

Emergency telephone number | 1-800-234-5333

Further information

Manufactured By: HACCO, Inc.

110 Hopkins Dr.

Randolph, WI 53956-1316 U.S.A.

HACCO, Inc. is a wholly-owned subsidiary of Neogen Corporation.

Hotline(s): Medical: United States (1-800-498-5743), International (1-651-523-0318).

Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - GHS Skin Irrit. 2: H315; Eye Dam. 1: H318;

2.2. Label elements

Hazard pictograms



Signal Word Danger

Revision 0 Revision date 2018-09-25

2.2. Label elements

Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation.				
	Eye Dam. 1: H318 - Causes serious eye damage.				
Precautionary Statement:	P264 - Wash thoroughly after handling.				
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.				
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .				
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact				
	lenses, if present and easy to do. Continue rinsing.				
	P310 - Immediately call a POISON CENTER/doctor/ .				
	P321 - Specific treatment (see on this label).				
	P332+P313 - If skin irritation occurs: Get medical advice/attention.				

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Glycolic acid		79-14-1	201-180-5		1 - 10%	Skin Corr. 1B: H314; Acute Tox. 4: H332;
Hydrogen chloride	017-002-00-2	7647-01-0	231-595-7		1 - 10%	Acute Tox. 3: H331; Skin Corr. 1A: H314;
Lauryl Dimethyl Amine Oxide		1643-20-5	216-700-6		1 - 10%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
Sulphamic acid	016-026-00-0	5329-14-6	226-218-8		1 - 10%	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Aquatic Chronic 3: H412;

Further information

The exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to respiratory system. Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Immediate medical attention is required.
Skin contact	Remove contaminated clothing. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.				
Eye contact	Causes severe burns. Risk of serious damage to eyes.				
Skin contact	May cause irritation to skin.				
Ingestion	Causes burns. Ingestion may cause nausea and vomiting.				

4.3. Indication of any immediate medical attention and special treatment needed

Remove the affected person from the source of contamination immediately. If you feel unwell, seek medical advice (show the label where possible). Seek medical attention if irritation or symptoms persist.

Revision 0 Revision date 2018-09-25

CECTION 5: Firefighting ma		Revision date 2016-09-2			
SECTION 5: Firefighting me	asures				
5.1. Extinguishing media					
	Use extinguishing media appropriate to the	ne surrounding fire conditions.			
5.2. Special hazards arising fron	n the substance or mixture				
	Heat will increase pressure in sealed con Burning produces irritating, toxic and obn	tainers. Cool fire exposed containers with waterspray. oxious fumes.			
5.3. Advice for firefighters					
	In case of fire and/or explosion do not bre necessary.	eathe fumes. Wear suitable respiratory equipment when			
SECTION 6: Accidental release	ase measures				
6.1. Personal precautions, prote	ective equipment and emergency procedure	s			
	Avoid contact with eyes and skin. Wash he ventilation of the working area.	nands after handling the product. Ensure adequate			
6.2. Environmental precautions					
	Do not allow product to enter drains. Prev	vent further spillage if safe.			
6.3. Methods and material for co	ontainment and cleaning up				
	Absorb spillage to prevent material dama suitable, labelled containers for disposal.	ge. Absorb with inert, absorbent material. Transfer to			
6.4. Reference to other sections	•				
	See section 2, 8, and 13 for further inform	nation.			
SECTION 7: Handling and s	torage				
7.1. Precautions for safe handlir					
	Adopt best Manual Handling consideratio suitable gloves and eye/face protection. A	ons when handling, carrying and dispensing. Wear Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or ion of the working area.			
7.2. Conditions for safe storage,	, including any incompatibilities				
	Keep only in the original container in a cool, well-ventilated place away from excessive heat or cold.				
7.3. Specific end use(s)					
	See section 1.2 for further information.				
SECTION 8: Exposure contr	rols/personal protection				
<u> </u>	Cio/pordonal protoction				
8.1. Control parameters					
Exposure Limit Values					
Exposure Limit Values	ACCIU TI V TWA	ACCILITIVETEL CO page			
Exposure Limit Values Hydrogen chloride	ACGIH TLV TWA: - Notations: A4	ACGIH TLV STEL: C 2 ppm OSHA PEL 8hr TWA ppm: (C)5			
·	ACGIH TLV TWA: - Notations: A4 OSHA PEL 8hr TWA mg m3: (C)7	OSHA PEL 8hr TWA ppm: (C)5			
·	Notations: A4	• •			

Revision 0 **Revision date** 2018-09-25

8.2. Exposure controls





Appropriate engineering controls

Ensure adequate ventilation of the working area.

Individual protection measures

Use as appropriate:. Protective clothing.

Eye / face protection

Wear eye/face protection.

Skin protection - Hand

Wear suitable gloves.

protection

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Occupational exposure

Keep away from food, drink and animal feed and/ or feed products.

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State Liquid

Color Clear

Odor Characteristic

Odour threshold No data available

1 - 3

рΗ

Melting point No data available

Freezing Point No data available

> 100 °C **Boiling point**

Flash point No data available Not applicable.

Flammability limits Vapor pressure

No data available

Vapor density

Relative density

No data available

No data available No data available

Autoignition temperature

No data available

Viscosity **Explosive properties**

No data available

Oxidising properties

No data available

Solubility

Miscible in water

9.2. Other information

VOC (Volatile organic compounds) No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Keep away from incompatible materials.

Revision 0 Revision date 2018-09-25

	Revision date 2018-09-25
10.4. Conditions to avoid	
	Keep away from heat. Heat will increase pressure in sealed containers.
10.5. Incompatible materials	·
	Strong bases.
10.6. Hazardous decomposition	products
·	Carbon oxides.
SECTION 11: Toxicological	information
11.1. Information on toxicological	
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	Causes burns.
Respiratory or skin sensitisation	No sensitizaton effects reported.
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112. Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens. Not listed in the OSHA standard 1910.1003 Carcinogens.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure.
11.1.4. Toxicological information	1
	No data available
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data available
12.2. Persistence and degradab	ility
	More than 90% biodegradable.
12.3. Bioaccumulative potential	•
	No data available.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of in compliance with all. local and national regulations. Do not contaminate water by cleaning of equipment or disposal of wastes.
Disposal methods	
	Contact a licensed waste disposal company. Do not contaminate water by cleaning of equipment or disposal of wastes.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
SECTION 14: Transport info	rmation
Hazard pictograms	
nazaro pictograms	

Revision 0 Revision date 2018-09-25

Hazard pictograms	
14.1. UN number	·
	UN3265
14.2. UN proper shipping name	
	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycolic acid solution)
14.3. Transport hazard class(es	· ·
DOT	8
Subsidiary risk	1-
IMDG	8
Subsidiary risk] -
IATA	8
Subsidiary risk	<u> </u> -
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
DOT	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5 L
SECTION 15: Regulatory in	formation
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
Regulations	Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.
	All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

New Jersey Right-to-Know Hazardous Substance List:

US State Regulations:

Revision 0 Revision date 2018-09-25

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Hydrogen chloride

Pennsylvania Right-to-Know Hazardous Substance List: Hydrochloric acid.

Rhode Island Right-to-Know Hazardous Substance List: Hydrochloric acid.

Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Hydrogen chloride (Hydrochloric acid)	Υ	Υ	Y 1.0	N	N	Υ	Υ	Y 500	Y 5,000
Sulphamic acid (Sulfamic acid)	Υ	N	N	N	N	N	N	N	N

SECTION 16: Other information

Other information

Text of Hazard Statements in Section 3

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Acute Tox. 4: H332 - Harmful if inhaled.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Acute Tox. 3: H331 - Toxic if inhaled.

Acute Tox. 4: H302 - Harmful if swallowed.

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Aguatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Further information

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.