

# SAFETY DATA SHEET

according to 29 CFR 1910.1200 and GHS

Page 1/9

# COMPANION™ Hand Sanitizer

Revision **Revision date** 2018-12-19

1.1. Product identifier

Product name COMPANION™ Hand Sanitizer

Product code 490909

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description Alcohol-based, foaming hand sanitizer.

1.3. Details of the supplier of the safety data sheet

Company **Neogen Corporation** 

**Address** 620 Lesher Place

Lansing MI 48912

USA

Web www.neogen.com

Telephone 517-372-9200/800-234-5333

**Email** regulatorysupport@neogen.com

1.4. Emergency telephone number

1-800-234-5333 Emergency telephone number

**Further information** 

Manufactured By: **Neogen Corporation** 

944 Nandino Blvd.

Lexington, KY 40511-1205 U.S.A.

Hotline(s): Medical: United States (1-800-498-5743), International (1-651-523-0318).

Spill/CHEMTREC: United States (1-800-424-9300), International (1-703-527-3887).

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - GHS Flam. Liq. 2: H225;

2.2. Label elements

Hazard pictograms



Signal Word

**Hazard Statement** 

**Precautionary Statement:** 

Prevention

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Revision 1 Revision date 2018-12-19

#### 2.2. Label elements

	P233 - Keep container tightly closed.
	P242 - Use only non-sparking tools.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
Response	skin with water/shower.
Precautionary Statement:	P403+P235 - Store in a well-ventilated place. Keep cool.
Storage	
2.3. Other hazards	

Other hazards Inhalation. May cause dizziness and headache.

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isopropanol (2-Propanol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
Ethanol	603-002-00-5	64-17-5	200-578-6		60 - 70%	Flam. Liq. 2: H225;

#### **Further information**

The exact percentage (concentration) of composition has been withheld as a trade secret.

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	Rinse mouth thoroughly. DO NOT INDUCE VOMITING unless advised to do so by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Ingestion may cause nausea and vomiting.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	If you feel unwell, seek medical advice (show the label where possible).	
Eye contact	Seek medical attention if irritation or symptoms persist.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	If you feel unwell, seek medical advice (show the label where possible).	

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

## 5.2. Special hazards arising from the substance or mixture

Revision 1
Revision date 2018-12-19


5.2. Special hazards arising from the substance or mixture				
	Highly flammable liquid and vapour. Burning produces irritating, toxic and obnoxious fumes.			
5.3. Advice for firefighters				
	Wear suitable respiratory equipment when necessary.			
SECTION 6: Accidental release measures				
6.1. Personal precautions, prote	ctive equipment and emergency procedures			
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ensure adequate ventilation of the working area. Avoid contact with skin and eyes. Wash hands after handling the product.			
6.2. Environmental precautions				
	Prevent further spillage if safe. Do not flush into surface water. Do not let product contaminate subsoil.			
6.3. Methods and material for co	ontainment and cleaning up			
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.			
6.4. Reference to other sections				
	See section 2, 8 & 13 for further information.			
SECTION 7: Handling and si	torage			
7.1. Precautions for safe handling	ng			
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.			
7.2. Conditions for safe storage,	including any incompatibilities			
	Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers.			
7.3. Specific end use(s)				
	See section 1.2 for further information.			
SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
	Occupational exposure controls.			
Exposure Limit Values				

Revision 1
Revision date 2018-12-19

#### **Exposure Limit Values**

Ethanol	ACGIH TLV TWA: 1000 ppm	ACGIH TLV STEL: -
Culation	''	
	Notations: A4	OSHA PEL 8hr TWA ppm: 1000
	OSHA PEL 8hr TWA mg m3: 1900	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:
Glycerin (Glycerin mist)	ACGIH TLV TWA: 10 mg/m <sup>3</sup>	ACGIH TLV STEL: -
	Notations: -	OSHA PEL 8hr TWA ppm: -
	OSHA PEL 8hr TWA mg m3: 15	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:
Isopropanol (2-Propanol)	ACGIH TLV TWA: 200 ppm	ACGIH TLV STEL: 400 ppm
	Notations: A4	OSHA PEL 8hr TWA ppm: 400
	OSHA PEL 8hr TWA mg m3: 980	Skin Designation: -
	NIOSH REL 10hr TWA ppm:	NIOSH REL 10hr TWA mg m3:
	NIOSH REL 15 min ST ppm:	NIOSH REL 15 min ST mg m3:

#### 8.2. Exposure controls



# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Revision 1
Revision date 2018-12-19

#### 9.1. Information on basic physical and chemical properties

State Liquid Color Colorless Odor Characteristic Odour threshold No data available рΗ 6.5 - 8.5 Melting point No data available Freezing Point No data available **Boiling point** 78 °C Flash point 17 °C Evaporation rate No data available Flammability limits No data available Vapor pressure No data available Vapor density No data available Relative density No data available

No data available

Partition coefficient No data available
Autoignition temperature Viscosity No data available

**Fat Solubility** 

Explosive properties No data available
Oxidising properties No data available
Solubility Soluble in water

#### 9.2. Other information

Conductivity No data available
Surface tension Specific gravity
Gas group No data available

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available.

# 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Heat, sparks and open flames. Direct sunlight.

## 10.5. Incompatible materials

Alkali metals. Ammonia. Oxidizing agents. Peroxides.

# 10.6. Hazardous decomposition products

Burning produces irritating, toxic and obnoxious fumes.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Revision 1
Revision date 2018-12-19

11.1. Information on toxicological effects	11.1. Inf	formation	on	toxicological	effects
--	-----------	-----------	----	---------------	---------

Acute toxicity	No data available.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitisation	No data available.
Germ cell mutagenicity	No data available.
Carcinogenicity	Not found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs, Volumes 1-112.  Not listed in the National Toxicology Program (NTP) 13th Report on Carcinogens.  Not listed in the OSHA standard 1910.1003 Carcinogens.
Reproductive toxicity	No data available.
STOT-single exposure	No data available.
STOT-repeated exposure	No data available.
Aspiration hazard	No data available.
Repeated or prolonged exposure	Prolonged or repeated exposure may cause: Headache, nausea and vomiting.

## 11.1.4. Toxicological information

Ethanol	<b>Oral Rat LD50:</b> 10470 mg/kg	Oral Mouse LD50: 3450 mg/kg
	Dermal Rabbit LD50: 15800 mg/kg	Inhalation Rat LC50/4 h: 30000 mg/kg
Glycerin	Inhalation Rat LC50/1 h: ?570 mgm3	<b>Oral Rat LD50:</b> >12600 mg/kg
Isopropanol	<b>Oral Rat LD50:</b> 4396 mg/kg	

# SECTION 12: Ecological information

#### 12.1. Toxicity

Ethanol Algae EC50/72h: 275 mg/l Daphnia LC50/48h: 5012 m					
	Fathead minnows LC50/96h: 14200 mg/l				
12.2. Persistence and degradability					

# 12.3. Bioaccumulative potential

No data available.

No data available.

#### Partition coefficient

	COMPANION™ Hand Sanitizer No data available	Ethanol -0.349 log P
12.4. Mobility in soil		
	No data available.	

#### 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Other adverse effects

No data available.

# SECTION 13: Disposal considerations

Revision **Revision date** 2018-12-19

13.1.	Waste	treatment	methods

	Dispose of in compliance with all local and national regulations.	
Disposal methods		
	Do not contaminate water by cleaning of equipment or disposal of wastes. Dispose of contents/container to an approved waste disposal facility in accordance with local and national regulations.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.	
SECTION 14: Transport information		

## Hazard pictograms



#### 14.1. UN number

UN1170
--------

## 14.2. UN proper shipping name

ETHANOL SOLUTION		ETHANOL	SOLU	ΓΙΟΝ
------------------	--	---------	------	------

#### 14.3. Transport hazard class(es)

DOT	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

## 14.4. Packing group

Packing group	11
Packing group	ı II

#### 14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

## 14.6. Special precautions for user

No data available.
--------------------

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### DOT

Hazard ID	33
Tunnel Category	(D/E)

#### **IMDG**

EmS Code	F-E S-D
Ems Code	L-E 2-D

# **IATA**

Revision 1
Revision date 2018-12-19

#### IATA

Packing Instruction (Cargo)	364
Maximum quantity	60 L
Packing Instruction	353
(Passenger)	
Maximum quantity	5 L

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Regulations

Hazard Communication Standard: 29 Code of Federal Regulations 1910.1200: Occupational Safety and Health Standards: Z: Toxic and Hazardous Substances: Hazard Communication.

All chemicals in this product are TSCA listed or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory. TSCA - United States Toxic Substances Control Act Section 8(b) Inventory.

US State Regulations:

New Jersey Right-to-Know Hazardous Substance List:

Isopropyl alcohol: Y

Pennsylvania Right-to-Know Hazardous Substance List:

2-Propanol: Y, Ethanol: Y, 1,2,3-Propanetriol.

Rhode Island Right-to-Know Hazardous Substance List: Isopropanol.

#### 15.2. Chemical safety assessment

No data is available on this product.

#### Inventories

Ingredient	TSCA	MA	SARA313	CALPROP65	CWA307	CAA112	CWA311	SARA302	SARA304
Isopropanol (2-Propanol)	Υ	N	Y 1.0	N	N	N	N	N	N
Ethanol	Υ	Υ	N	N	N	N	N	N	N
Glycerin (1,2,3-Propanetriol)	Υ	N	N	N	N	N	N	N	N

#### SECTION 16: Other information

#### Other information

Revision

This document differs from the previous version in the following areas:.

- 1 Description.
- 1 Manufactured By:.
- 1 Hotline(s):.
- 2 Other hazards.
- 4 Ingestion.
- 4 Eye contact.
- 6 6.2. Environmental precautions.
- 8 Respiratory protection.
- 8 Skin protection Hand protection.
- 8 Eye / face protection.
- 8 Individual protection measures.
- 8 Skin protection Other.
- 11 Repeated or prolonged exposure.
- 11 Carcinogenicity.
- 13 Disposal methods.

Revision 1
Revision date 2018-12-19

Other information							
	15 - Regulations.						
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.						
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.						
	STOT SE 3: H336 - May cause drowsiness or dizziness.						
Further information							
	DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.						
	Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.						