



DECON SEVEN Part 3

For use as a Disinfectant, Mildewstat, Virucide*, Deodorizer for Hospitals, Nursing Homes, Homes, Hotels & Motels, Industrial, Institutional, Schools, Poultry/turkey, Farm, and Harvesting Equipment. Only for use when added to DECON SEVEN Part 1 (EPA Reg. No. 74436-1-89833) and DECON SEVEN Part 2 (EPA Reg. No. 74436-2-89833).

ACTIVE INGREDIENTS:

Diacetin.....>99%

INERT INGREDIENTS:.....< 1%

TOTAL.....**100.000%**

CANADA DIN 02441039

KEEP OUT OF THE REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE: Causes skin burns. Causes substantial but temporary eye injury. Harmful if swallowed or inhaled. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield, or safety glasses. When mixing and loading, wear a chemical-resistant apron. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the restroom. Remove and wash contaminated clothing before reuse.

FOR EMERGENCY MEDICAL INFORMATION CALL TOLL FREE:

1-800-424-9300

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against shock, respiratory depression, and convulsion may be needed. This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normal sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

ADDED PRECAUTIONARY STATEMENTS FOR FINISHED BLENDS:

If inhaled, move to fresh air. If breathing becomes labored consider oxygen, get medical attention. Give rescue breathing if breathing stops, get medical attention.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If breathing is difficult or irregular, administer oxygen. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth to mouth, if possible. Call poison control center or doctor for further treatment advice.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, AND FEED BY STORAGE OR DISPOSAL

Product should be kept in the original container in a cool dry area not susceptible to UV light. Sealed containers exposed to fire may burst. Do not store in metal containers. Store product containers in an upright position. Avoid creating or impacting of sidewalls.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray, or mixture of rinsate is a violation of Federal Law. If these wastes cannot be disposed of by user according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

For containers ≤ 5 gallons. Non refillable container. Do not reuse or refill these containers. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

For containers > 50 gallons. Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or tank mix. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

ENVIRONMENTAL HAZARDS: For small spills, flush with copious amounts of water. Keep out of water supplies.

FOR USE IN CALIFORNIA ONLY

TO PREPARE AND USE FINISHED BLEND

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Pour the complete contents of the DECON SEVEN Part I (EPA Reg. No. 74436-1-89833) container into a mixing container (plastic or glass), large enough to hold all three components when completely mixed. Add the complete contents of the DECON SEVEN Part 2 (EPA Reg. No. 74436 -2-89833) container into the mixing container holding the DECON SEVEN Part I (EPA Reg. No. 74436-1-89833) and stir the solution until it is well mixed (15-20 seconds). Add the complete contents of the DECON SEVEN Part 3 container into the mixing container holding the DECON SEVEN Part I (EPA Reg. No. 74436-1-89833) and DECON SEVEN Part 2 (EPA Reg. No. 74436-2-89833) and stir the solution until it is well mixed (15 – 20 seconds). The mixture is now ready to apply. Contact time for contaminated surfaces: See label of DECON SEVEN Part 1 & DECON SEVEN Part 2 for complete Directions for Use. Keep the surfaces wet for 10 minutes. The mixture must be reapplied if it dries out or becomes diluted by any liquid during the 10 minute contact time.

Manufactured For:
DECON7 Systems, Llc.
7575 E. Redfield Rd. Suite 235
Scottsdale, Az 85260

5 fl. oz.
 12 fl. oz.

Lot Number: _____