

ProPhorce™ Exclusive NC



NL

Gevaar

Schadelijk bij inslikken
 Veroorzaakt ernstig oogletsel
 Veroorzaakt huidirritatie
 Kan een allergische huidreactie veroorzaken
 Kan irritatie van de luchtwegen veroorzaken
 Inademing van stof/rook/gas/nevel/damp/spuitnevel vermijden
 Beschermende handschoenen en oog-/gelaatsbescherming dragen
 BIJ CONTACT MET DE OGEN: voorzichtig afspoelen met water gedurende een aantal minuten; contactlenzen verwijderen, indien mogelijk; blijven spoelen
 Onmiddellijk een ANTIGIFCENTRUM of een arts raadplegen
 Bij huidirritatie of uitslag: een arts raadplegen
 NA INSLIKKEN: bij onwel voelen een ANTIGIFCENTRUM of een arts raadplegen
 Bevat : Mierenzuur 25-35%, Propionzuur 5 - 15%, Kaneelaldehyde

US

Danger

Harmful if swallowed
 Causes serious eye damage
 Causes skin irritation
 May cause an allergic skin reaction
 May cause respiratory irritation
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Wear protective gloves and eye/face protection
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor
 If skin irritation or rash occurs: Get medical advice/attention
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Contains : Formic acid 25-35%, Propionic acid 5 - 15%, Cinnamaldehyde

ProPhorce™ Exclusive NC

For the use in water for swine and poultry production systems.

Ingredients:

Formic acid
 Sodium formate
 Propionic acid
 N-Butyric acid (butanoic acid)
 Glycerin
 Cinnamaldehyde (cinnamic aldehyde)
 Ethoxylated castor oil

Directions of Use:

Mix 12 oz. of ProPhorce™ Exclusive NC with water to make 1 gallon of stock solution (see table to right for additional volumes) and then add to the water through a proportioner at a rate of 1 oz. per gallon of water (1:128).

Dosage:

Depending on local water conditions, application rate can be adjusted to obtain desired pH of water. Recommended water pH is 3.5 to 4.0 in swine and 3.8 to 4.0 in poultry. Contact your technical representative for more information.

General:

Shake well before use. Clean and flush drinking water lines on a regular basis. Do not administer to animals for 2 days prior to or 2 days after water application of vaccinations. Do not administer at same time with other water line applications.

Storage:

Store in a dry, cool and dark warehouse

FIRST AID:

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing the eye.

If Inhaled: Move person to fresh air. If person is not breathing, call 911, then give artificial respiration.

If on Skin or Clothing: Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a doctor for further treatment advice. Have the product container, label or SDS with you when calling a poison control center or doctor, or if transporting for more treatment.

EXPORT

Stock Solution	ProPhorce™ Exclusive NC	
1 gallon	12 oz	1½ cup
2 gallon	24 oz	3 cup
5 gallon	60 oz	7½ cup

Batchnumber:

Production date:

12-2021

Best before:

24 months after prod. date

Nett weight:

11,02 pounds (5 kg)

Manufacturer: Perstorp Waspik BV, Industrieweg 8, 5165 NH Waspik, The Netherlands

Telephone: +31 416 31 77 00, info@perstorpfeed.com Reg. No.: α NL93388, QS-ID: 4031735942750,

For further information see Material Safety Data Sheet

Emergency telephone number: Europe (+1) 760 476 3961, United Kingdom (+)44 8 08 189 0979, Americas (+1) 760 476 3962

Middle East and Africa (+1) 760 476 3959, Asia Pacific (+1) 760 476 3960 (contract no: 334101)

