

Naturganic Pest Powder




Insect pests can negatively impact production. You need broad-spectrum control of crawling and biting pests.

- Cockroaches:
 - > Common in livestock facilities
 - > Spread disease and eat feed
- Bed Bugs:
 - > Most common parasite in breeder houses
 - > Can cause decreased production, lesions on the breast, anemia
- Northern Fowl Mites:
 - > The most serious and prevalent pest of poultry
 - > Can cause lower egg production, lower feed conversion and anemia



How it Works

Natural insecticidal power of plant essential oils with a dual mode of action:





The Eco-Solution for Crawling and Biting Pests in Livestock

> OMRI Listed for Organic Use

Research-Based Proven Efficacy

No Need to Remove Animals for Application

> Plant-Powered Formulation

How to Use

Before treatment, turn off fans and leave off until the product has settled (about 15 minutes after application). Wait until the product has settled from the air to return to the area.

For Bed Bugs:


Apply at a rate of 4-6 lbs. of Naturganic Pest Powder per 1,000 sq. ft. of the facility. Make sure to apply to potential harborage areas, including gaps along walls, behind sheeting or framing, attics, around drop ceiling joints and above drop ceilings, gaps between walls, and nest areas, work rooms and equipment. Repeat application of Naturganic Pest Powder every 4-6 weeks or reapply as needed for bed bug control.


For Cockroaches:

Apply at a rate of 4-6 lbs per 1000 sq. ft. of application area. Blow into studs, behind wall boards, into crawl and attic spaces, or other places where roaches can hide. Apply from high to low. Reapply as needed for cockroach control.


For Northern Fowl Mites:

Apply at a rate of 4-6 lbs of Naturganic Pest Powder per 1000 sq. ft. of facility. Apply when birds are 25-26 weeks old; one week after first application, make a second application. Apply powder to birds and cages in each level of every row, ruffling feathers to penetrate. Repeat application every 6-8 weeks in case of high infestation rate and every 3 months for maintenance, or as needed for mite control. As part of a preventative program, after cleanout and washing of house, apply Naturganic Pest Powder into harborage areas such as nesting boxes, scratch areas, and attics at a rate of 4-6 lbs per 1000 sq. ft. of facility.







Proven Performance



% Mortality on German Cockroaches







No Need to Choose Between What Works and What is Good for the Planet

% Mortality of Northern Fowl Mite (4 Hours)