

Material Name: Regano EX, Product Code: 9000

SDS ID: 9000

# Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name Regano® EX, Product Code: 9000 Product Use Livestock Feed Flavoring. Restrictions on Use Use Only as Directed on Label. Details of the supplier of the safety data sheet Ralco Nutrition, Inc. 1600 Hahn Road

Marshall, MN 56258 Phone: 1-800-533-5306

## Section 2 - HAZARDS IDENTIFICATION

## Classification in accordance with paragraph (d) of 29 CFR 1910.1200. Serious Eye Damage/Eye Irritation - Category 2A GHS Label Elements

Symbol(s)



Signal Word Warning Hazard Statement(s) Causes serious eye irritation.

Precautionary Statement(s)

## Prevention

Wear eye protection/face protection.

Wash thoroughly after handling.

## Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

## Storage

None needed according to classification criteria.

#### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.



Material Name: Regano EX, Product Code: 9000

SDS ID: 9000

# Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
471-34-1	Calcium carbonate	70-95
61790-53-2	Diatomaceous earth	10-20
8007-11-2	Oils, origanum	< 3

## Section 4 - FIRST AID MEASURES

#### Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

### Skin

Wash thoroughly after handling.

#### Eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

### Ingestion

Rinse mouth thoroughly with water.

### Most Important Symptoms/Effects

## Acute

Causes serious eye irritation.

## Delayed

None Known.

## Note to Physicians

Treat symptomatically.

# Section 5 - FIRE FIGHTING MEASURES

## Extinguishing Media

## Suitable Extinguishing Media

Water spray, regular dry chemical, carbon dioxide, fire-fighting foam.

## Unsuitable Extinguishing Media

None Known.

# Fire Fighting Measures

Co-ordinate fire-fighting measures to the fire surroundings.

### **Special Protective Equipment and Precautions for Firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

## Section 6 - ACCIDENTAL RELEASE MEASURES

## Personal Precautions, Protective Equipment and Emergency Procedures

Use Personal Protective equipment as required.

# Methods and Materials for Containment and Cleaning Up

Collect in closed and suitable containers for disposal.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## **Environmental Precautions**

None Known.



## Material Name: Regano EX, Product Code: 9000

SDS ID: 9000

Section 7 - HANDLING AND STORAGE

### **Precautions for Safe Handling**

Use Personal Protective equipment as required.

Wash thoroughly after handling.

Dispose of contents/container in accordance with local/regional/national/international regulations.

## Conditions for Safe Storage, Including any Incompatibilities

Protect from sunlight.

Store in a cool dry place.

Store in a well-ventilated place.

Keep container tightly closed.

Store locked up.

# Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Component Exposure Limits**

Calcium carbonate	471-34-1
NIOSH:	10 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable dust
Diatomaceous earth	61790-53-2
OSHA (US):	((80)/(% SiO2) mg/m3 TWA ); 20 mppcf TWA
Mexico:	10 mg/m3 TWA VLE-PPT inhalable fraction

## ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

## **Engineering Controls**

Sufficient to maintain atmospheric concentrations below applicable regulatory limits.

## Individual Protection Measures, such as Personal Protective Equipment

#### Eye/face protection

Wear eye protection/face protection.

## **Skin Protection**

Wear suitable protective clothing.

## **Respiratory Protection**

In case of inadequate ventilation wear respiratory protection.

## **Glove Recommendations**

Wear protective gloves.



Material Name: Regano EX, Product Code: 9000

SDS ID: 9000

# Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Powder.	Physical State	Solid.		
Odor	Herbal aroma.	Color	White to light gray.		
Odor Threshold	Not available	рН	Not available		
Melting Point	Not available	<b>Boiling Point</b>	Not available		
<b>Boiling Point Range</b>	Not available	Freezing point	Not available		
Evaporation Rate	Not available	Flammability (solid, gas)	Not available		
Autoignition Temperature	Not available	Flash Point	Not available		
Lower Explosive Limit	Not available	Decomposition temperature	Not available		
Upper Explosive Limit	Not available	Vapor Pressure	Not available		
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available		
Water Solubility	Not available	Partition coefficient: n- octanol/water	Not available		
Viscosity	Not available	Kinematic viscosity	Not available		
Solubility (Other)	Not available	Density	Not available		
Molecular Weight	Not available				

# Section 10 - STABILITY AND REACTIVITY

## Reactivity

No known hazardous reactions.

# **Chemical Stability**

The product is stable under storage at normal ambient temperatures.

## **Conditions to Avoid**

Avoid contact with incompatible materials.

High heat can cause decomposition.

## **Incompatible Materials**

Strong acid. Oxidizing agents.

High heat can cause decomposition.

## Hazardous decomposition products

None Known.

#### Thermal decomposition products

Heating of product above 825°C may decompose to calcium oxide with a release of carbon dioxide.



Material Name: Regano EX, Product Code: 9000

# Section 11 - TOXICOLOGICAL INFORMATION **Information on Likely Routes of Exposure Eve Contact** Yes. Acute and Chronic Toxicity **Component Analysis - LD50/LC50** The components of this material have been reviewed in various sources and the following selected endpoints are published: Calcium carbonate (471-34-1) Oral LD50 Rat 6450 mg/kg **Oils, origanum (8007-11-2)** Oral LD50 Rat 1850 mg/kg **Product Toxicity Data Acute Toxicity Estimate** Oral > 2000 mg/kg **Immediate Effects** No information on significant adverse effects. **Delayed Effects** No information on significant adverse effects. **Irritation/Corrosivity Data** No data available. **Respiratory Sensitization** No data available. **Dermal Sensitization** No data available. **Component Carcinogenicity** 61790-53-2 **Diatomaceous earth** Monograph 68 [1997] (Group 3 (not classifiable)) IARC: Germ Cell Mutagenicity No data available. **Tumorigenic Data** No data available. **Reproductive Toxicity** No data available. Specific Target Organ Toxicity - Single Exposure No data available. Specific Target Organ Toxicity - Repeated Exposure No data available. **Aspiration hazard** No data available. Medical Conditions Aggravated by Exposure No data available.

## Section 12 - ECOLOGICAL INFORMATION

## **Component Analysis - Aquatic Toxicity**

No LOLI ecotoxicity data are available for this product's components.



## Material Name: Regano EX, Product Code: 9000

# Section 13 - DISPOSAL CONSIDERATIONS

#### Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

### **Component Waste Numbers**

The U.S. EPA has not published waste numbers for this product's components.

## Section 14 - TRANSPORT INFORMATION

#### **US DOT Information:**

## No Classification assigned.

### International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

## Section 15 - REGULATORY INFORMATION

### **U.S. Federal Regulations**

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

### SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Serious Eye Damage/Eye Irritation

## **U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Diatomaceous earth	61790-53-2	No	No	Yes	Yes	No

#### California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Not listed under California Proposition 65.

## **Canada Regulations**

## Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.



SDS ID: 9000

Material Name: Regano EX, Product Code: 9000

## **Component Analysis - Inventory**

Calcium carbonate (471-34-1)

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	WEGI	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes

## Diatomaceous earth (61790-53-2)

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KECI -	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	NSL	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes

## **Oils, origanum (8007-11-2)**

US	СА	EU	AU	РН	JP - ENCS	JP - ISHL	KECI -	KR KECI - Annex 2	REACH	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	No	Yes	Yes	No	Yes	Yes	No	No	Yes	Yes	No	Yes	Yes



Material Name: Regano EX, Product Code: 9000

# Section 16 - OTHER INFORMATION

## **Summary of Changes**

SDS: 04/01/2019 Supersedes: 10/31/2018

# Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC -European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F -Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts<sup>TM</sup> - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX – Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

# Other Information

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of Ralco's knowledge, information and belief at the date of preparation. The information provided is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The conditions or methods of said handling, storage, use, and disposal of this product are beyond our control. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expenses arising out of or connected with the handling, storage, use, or disposal of this product. The information provided relates only to the specific material designated, and may not be valid for such material used in combination with any other materials or in any process, unless specified in text.