

# Ramik<sup>®</sup>

## *liquid bait*

**KILLS RATS AND MICE**

For Indoor Use in Agricultural Buildings

Do Not Use in Homes or Other Residential Settings.  
Do Not Use Outdoors.

**Active Ingredient:**

Sodium Diphacinone ..... 0.082%

**Other Ingredients:** ..... 99.918%

**Total** ..... 100.000%

EPA Reg. No. 61282-104    EPA Est. No. 61282-WI-01

**KEEP OUT OF REACH OF  
CHILDREN  
CAUTION**

This Product May Not Be Sold in Packaging that Holds Less Than 20.16 fluid ounces of liquid bait concentrate.



**Net Contents:** 20.16 Fluid oz.

LA220391-0724

**Ramik® Liquid Bait  
Liquid Concentrate**  
**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

EPA Reg. No. 61282-104 EPA Est. No. 61282-WI-01

Manufactured by: HACC0, Inc. • 110 Hopkins Drive • Randolph, WI 53956 U.S.A.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if inhaled. Avoid breathing vapors. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Keep away from children, domestic animals and pets. Avoid exposure to this product during pregnancy. All handlers, including loaders, mixers, and applicators, must wear long-sleeved shirt and long pants, socks and shoes.

**User Safety Requirements:**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of waterproof gloves before removing them. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet, and change into clean clothing. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to birds, mammals and fish. Wildlife feeding on treated bait may be killed. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have consumed this bait. Only use indoors. Do not contaminate water when disposing of equipment wash water or rinsate.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

**IMPORTANT:** Do not expose children, pets or other non-target animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

**USE RESTRICTIONS**

- **For indoor use only.**
- This product is for control of Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), and House mouse (*Mus musculus*), only inside of industrial, commercial, agricultural, and public buildings, and similar man-made structures.
- Do not place near or inside ventilation duct openings.
- Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food.
- When used in USDA-inspected facilities, this product must be applied in tamper-resistant bait stations. Do not use in sewers.
- Do not sell this product in individual containers holding less than 20.16 fl. oz. of bait concentrate.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats and house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

**MIXING DIRECTIONS:** Shake well before measuring. Wearing waterproof gloves measure 1.68 fluid ounces of concentrate and mix thoroughly in 1 quart (32 fluid ounces) of water.

**APPLICATION DIRECTIONS**

**RATS:** Provide a minimum of 1 pint (16 fluid ounces) of diluted product in each dispenser (suitably-

equipped bait station, chick fount, or other suitable device). If infested area is large, or if rat population appears to be high, use dispensers at several locations. Space dispensers and refill them as needed to ensure that bait is exposed to all infested areas where it can be used without putting non-target organisms at risk.

**MICE:** Provide a minimum of ½ pint (8 fluid ounces) of diluted product in each dispenser (suitably-equipped bait station, chick fount, or other suitable device). Place dispensers at intervals of 8-12 feet in all infested areas where it can be used without putting non-target organisms at risk.

**FOLLOW-UP:** Replace contaminated or spoiled bait immediately. Wearing waterproof gloves, collect and dispose of all dead, exposed animals and leftover bait, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait dispensers and replenish liquid bait as needed.

## STORAGE AND DISPOSAL

**Do not contaminate water, food or feed by storage or disposal.**

**PESTICIDE STORAGE:** Store only in original container, in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**PESTICIDE AND CONTAINER HANDLING: Nonrefillable container.** Do not reuse or refill this container. Offer for recycling, if available. Triple rinse or equivalent promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration.

### DISCLAIMER

To the extent permitted by applicable law, seller makes no representation or warranty, either express or implied, for results due to misuse, improper handling or improper storage of this material. Nor does Seller assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or improper storage of this material.

## FIRST AID

### If Inhaled

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for treatment advice.

### NOTE TO PHYSICIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

### TREATMENT FOR PET POISONING

If animal consumes bait, call veterinarian or 1-800-498-5743 at once.

### NOTE TO VETERINARIAN

**Anticoagulant Sodium Salt of Diphacinone:** For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K<sub>1</sub>.

**Have the product container or label with you when calling a poison control center or doctor, or going for treatment.**

**For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).**

### Manufactured by:


HACCO, Inc.  
110 Hopkins Drive  
Randolph, WI 53956 USA

HACCO, Inc. is a wholly-owned  
subsidiary of Neogen Corporation.

Ramik® is a Registered Trademark  
of Neogen Corporation. BK220389-0724



Item No. 116397



0 23626 02904 0

## Ramik® Liquid Bait Liquid Concentrate

**Active Ingredient:**  
Sodium Diphacinone ..... 0.082%  
**Other Ingredients:** ..... 99.918%  
**Total** ..... 100.000%

EPA Reg. No. 61282-104

EPA Est. No. 61282-WI-01

### KEEP OUT OF REACH OF CHILDREN

## CAUTION

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if inhaled. Avoid breathing vapors. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.  
Keep away from children, domestic animals and pets. Avoid exposure to this product during pregnancy.  
All handlers, including loaders, mixers, and applicators, must wear long-sleeved shirt and long pants, socks and shoes.

#### User Safety Requirements:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of waterproof gloves before removing them. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet, and change into clean clothing. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

#### ENVIRONMENTAL HAZARDS

This product is extremely toxic to birds, mammals and fish. Wildlife feeding on treated bait may be killed. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have consumed this bait. Only use indoors. Do not contaminate water when disposing of equipment wash water or rinsate.

#### FIRST AID

##### If Inhaled

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for treatment advice.

#### NOTE TO PHYSICIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

#### TREATMENT FOR PET POISONING

If animal consumes bait, call veterinarian or **1-800-498-5743** at once.

#### NOTE TO VETERINARIAN

**Anticoagulant Sodium Salt of Diphacinone:**  
For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K<sub>1</sub>.

**Have the product container or label with you when calling a poison control center or doctor, or going for treatment.**

**For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).**

#### Manufactured by:

HACCO, Inc.  
110 Hopkins Drive  
Randolph, WI 53956 USA  
BK220389-0724

#### Net Contents:

20.16 Fluid oz.

Item No. 116397



PEEL BACK LEAFLET HERE