

# SYNERGIZE® COOL

## CLEANER • DISINFECTANT

BACTERICIDAL • STAPHYLOCIDAL • PSEUDOMONACIDAL  
VIRUCIDAL • FUNGICIDAL

Synergize Cool cleaner-disinfectant is specifically formulated for industrial use in the following Animal and Poultry Housing facilities: Turkey, Breeder, Grow Out, Fryer, Layer, Hatcheries and Swine-Producing Facilities as well as the following equipment in these facilities: Waterers, Feeders, Hauling Equipment, Loading Equipment, Farrowing Barns, Nurseries, Blocks, Creep Areas, and Chutes. This product is also for use in Farm Premises, Equine Facilities, Veal Barns, Ratite Facilities (Ostrich, Emu and Rhea Facilities), Calf Pens and associated Farm Vehicles, Veterinary Practices, Animal Care, and Animal Laboratories.

### Active Ingredients:

Alkyl (C <sub>12</sub> , 67%, C <sub>14</sub> , 25%, C <sub>16</sub> , 7%, C <sub>18</sub> , 1%)	26.00%
dimethyl benzyl ammonium chloride	7.00%
Glutaraldehyde	67.00%
<b>Inert Ingredients:</b>	<b>100.00%</b>
<b>Total</b>	<b>100.00%</b>

EPA Reg. No. 66171-7

Patent Number 5,891,922

EPA Est. No. 66171-TN-001

EPA Est. No. 66171-CA-001

EPA Est. No. 61282-WI-001

EPA Est. No. 47000-IA-001

## KEEP OUT OF REACH OF CHILDREN DANGER

See side panels for additional Precautionary Statements

### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center, doctor, or 1800-498-5743 immediately for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center, doctor, or 1800-498-5743 immediately for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center, doctor, or 1800-498-5743 immediately for treatment advice.

**IF SWALLOWED:** Call a poison control center, doctor, or 1800-498-5743 immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**HOT LINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For 24-hour emergency information on this product, call 1-800-498-5743 (US & Canada) or 1-651-523-0318 (all other areas).

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

### PRECAUTIONARY STATEMENTS Hazards to humans and domestic animals

#### DANGER

**KEEP OUT OF REACH OF CHILDREN.** Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Wear goggles or face shield. Wear a NIOSH approved particulate respirator with any N, R, or P FILTER, NIOSH approval number prefix TC-84A; or a NIOSH-approved powered air purifying respirator with an HE filter with NIOSH approved number prefix TC-21C. Wear protective clothing and rubber gloves. Prolonged or frequent repeated skin contact may cause an allergic reaction in some individuals. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and launder contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, aquatic invertebrates, oysters, and shrimp. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### DESCRIPTION

SYNERGIZE COOL is a multi-purpose disinfectant-cleanser. SYNERGIZE COOL provides a broad spectrum kill of gram negative and gram positive microorganisms. SYNERGIZE COOL provides effective disinfecting and cleaning in one operation. Synergize Cool is effective in warm, soft or hard water (as much as 1,000 ppm CaCO<sub>3</sub>) and performs especially well in areas containing 5% serum.

SYNERGIZE COOL is for use on glazed ceramic and tile surfaces, stainless steel, aluminum, chrome, galvanized metal, tin, brass, zinc, glass, hard non-porous treated wood, polyethylene, polypropylene, PVC (polyvinyl chloride), vinyl, sealed fiberglass, Viton, ethylene propylene, nitrile, acrylic and polyurethane.

#### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Registered for disinfecting and cleaning hard non-porous surfaces. Not for use on feed, food or litter.

#### USE DIRECTIONS:

To disinfect and clean hard non-porous surfaces of walls, floors, tables, sinks and garbage cans in non-animal areas associated with the sites noted on this label. Apply a solution of ½ ounce SYNERGIZE COOL per gallon of water (dilute 1:256) to pre-cleaned surfaces. Apply with cloth, sponge, mop or mechanical coarse spray device, making sure all surfaces are wetted thoroughly. Allow surfaces to remain wet for 10 minutes. All surfaces must be rinsed with clean water and allowed to dry before reuse.

#### DIRECTIONS FOR USE IN SWINE-PRODUCING FACILITIES:

- 1) Remove all animals and feed from the premises, vehicles and enclosures.
- 2) Empty all troughs, racks, and other feeding and watering appliances.
- 3) Remove all gross soil, bedding, manure, caked-on dirt, spider webs, etc. from walls to ceilings of barns, pens, stalls, chutes, and other facilities occupied or traversed by hogs or other animals.
- 4) Thoroughly clean all surfaces with soap or detergent and rinse with water.
- 5) Thoroughly saturate with a solution of ½ ounce SYNERGIZE COOL per gallon of water (1:256), using conventional spraying methods.
- 6) Allow all treated areas to remain in contact with this solution for at least 10 minutes.
- 7) Immerse equipment used in handling and restraining animals, forks, shovels, and scrapers used for removing manure in SYNERGIZE COOL at a dilution of 1:256. Allow to remain in contact for at least 10 minutes.

- 8) Ventilate buildings, and other closed spaces. Do not house swine or other livestock until treatment has been absorbed, set, or dried.
- 9) Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, waterers and equipment which may come in contact with food, with soap or detergent, and rinse with potable water before reuse.

#### DIRECTIONS FOR USE IN FARM PREMISES, EQUINE FACILITIES, VEAL BARN, RATITES FACILITIES, CALF PENS AND VEHICLES:

- 1) Do not use in milking stalls, milking parlors, or milk houses.
- 2) Remove all animals and feed from the premises, vehicles, and enclosures.
- 3) Empty all troughs, racks, and other feeding and watering appliances.
- 4) Remove all gross soil, bedding, manure, caked-on dirt, spider webs, etc. from floors, surfaces, and from walls to ceiling of barns, pens, stalls, chutes, and other facilities occupied or traversed by animals.
- 5) Thoroughly clean all surfaces with soap or detergent and rinse with water.
- 6) Thoroughly saturate with a solution of ½ ounce SYNERGIZE COOL per gallon of water (1:256), using conventional spraying methods.
- 7) Allow to remain in contact with this solution for at least 10 minutes.
- 8) Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing manure in a solution of ½ ounce SYNERGIZE COOL per gallon of water (1:256). Allow to remain in contact for 10 minutes.
- 9) Ventilate buildings, cars, boats, coops and other closed spaces. Do not house poultry or livestock or employ equipment until treatment has been absorbed, set or dried.
- 10) Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, waterers and equipment which may come in contact with food with soap or detergent, and rinse with potable water before reuse.

#### DIRECTIONS FOR USE IN POULTRY HOUSES:

- 1) Remove all poultry and feeds from premises, trucks, coops, and crates.
- 2) Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by poultry.
- 3) Empty all troughs, racks, and other feeding and watering appliances.
- 4) Thoroughly clean all surfaces with soap or detergent and rinse with water.
- 5) Saturate surfaces with ½ ounce SYNERGIZE COOL per gallon of water (dilute 1:256).
- 6) Allow to remain in contact for 10 minutes.
- 7) Ventilate building, coops, and other closed spaces. Do not house poultry or employ equipment until treatment has been absorbed, set, or dried.
- 8) Thoroughly scrub treated feed racks, troughs, automatic feeders, fountains, waterers and equipment which may come in contact with food with soap or detergent, and rinse with potable water before reuse.

#### AIR WASHERS AND INDUSTRIAL SCRUBBING SYSTEMS/RECIRCULATING COOLING AND PROCESS WATER SYSTEMS:

This product is used in industrial air washers and air washer systems which have mist-eliminating components.

SYNERGIZE COOL must be added at the application rates described below to a water treatment system at a convenient point of uniform mixing such as a basin area. Addition is made intermittently (Slug Dose) or continuously. Badly fouled systems are shock treated with SYNERGIZE COOL. Under these conditions, blowdown must be discontinued for up to 24 hours.

SYNERGIZE COOL is used in industrial process water systems that contain ultra-filtration units and non-medical reverse osmosis membranes (Where approved for compatibility by the membrane manufacturer) and associated distribution systems.

#### Intermittent (Slug Dose) Method:

**Initial Dose:** When the system is noticeably fouled, apply 2.0 to 4.0 ounces of SYNERGIZE COOL per 100 gallons of water in the system. Repeat until control is achieved.

**Subsequent Dose:** When microbial control is evident, add 1.0 to 3.0 fluid ounces of SYNERGIZE COOL per 100 gallons of water in the system weekly, or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

#### Continuous Feed Method:

**Initial Dose:** When the system is noticeably fouled, apply 2.0 to 4.0 ounces of SYNERGIZE COOL per 100 gallons of water in the system. Repeat until control is achieved.

**Subsequent Dose:** Maintain this treatment level by starting a continuous feed of 1.0 to 4.0 ounces per 100 gallons of water. Badly fouled systems must be cleaned before treatment is begun.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

#### PESTICIDE STORAGE:

Store away from heat. Do not transfer to another container. Do not reuse empty container

#### PESTICIDE DISPOSAL:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available, or offer for reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

*(For 5 gallons or less)* Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Dispose of rinsate as noted in the pesticide disposal section. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**General:** Consult Federal, State or local disposal authorities for approved alternative procedures.

#### LIMITED WARRANTY

To the extent permitted by applicable law, Preserve International and Neogen Corporation make no warranty concerning uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label. To the extent permitted by applicable law, Preserve International and Neogen Corporation shall not be liable for (1) any consequential, incidental or special damages related in any way to this product or its uses, or (2) any damages related in any way to resistance to pesticides.

For non-emergency (e.g. current product information), call: 1-800-621-8829



Net Contents: 1 gal. (3.78 L)



Manufactured by: Preserve International®, a Neogen® Company  
944 Nandino Blvd., Lexington, KY 40511 U.S.A.  
Emergency Phone: 1-800-498-5743 (U.S. & Canada)  
or 1-651-523-0318 (all other areas)  
Product Information (non-emergency)  
Phone: 1-800-621-8829  
L4967-0119

Item No. 403381/1



7 89703 00026 4